

**POLE CLAMP**  
**OPERATION AND SAFETY GUIDE**  
SLINGCO PART NOS.  
ZPE11399 (STANDARD POLE CLAMP)  
ZPE11398 (LARGE POLE CLAMP)

**⚠ ATTENTION**

**READ** and **UNDERSTAND** all of the instructions and safety information in this manual before operating or servicing this tool.

Failure to read and understand these warnings and safe handling instructions could result in severe personal injury or death.

**KEEP THIS MANUAL WITH TOOL.**

Thank you for using Slingco® products. This manual must be read and understood prior to operating this product. Special attention should be paid to the section 'Safety Information'.

This manual should be kept available to all operating and maintenance personnel.

Additional or replacement manuals may be obtained at no charge by contacting your local Slingco office.

## SAFETY INFORMATION

### **WARNING** PINCH POINT HAZARD



- Keep hands away from mechanism, or serious injury may occur.

### **WARNING** SAFETY GOGGLES REQUIRED



- **DO NOT** operate without eye protection, or serious injury may occur.

### **WARNING** HARD HAT REQUIRED



- **DO NOT** operate without proper head protection.

### **WARNING** GLOVES REQUIRED



- **DO NOT** operate without proper hand protection, or serious injury may occur.

### **WARNING** SUSPENDED LOAD



- Heavy suspended objects can fall. Can cause property damage, severe injury, or even death.
- **DO NOT** stand under Pole Clamp.
- **DO NOT** lift or pull more than rated load.

### **WARNING** ELECTRICAL SHOCK HAZARD




- This tool is **NOT** insulated for use on or near energized conductors.
- **DO NOT USE** on live circuits.
- Failure to observe this warning could result in severe injury or death.

## WARNINGS


- Inspect Pole Clamps before and after each use. If there is any damage, discard the product immediately.
- Temporary items are intended to be inspected frequently. Follow your company's standard work practices or inspect routinely.

## DESCRIPTION

ZPE11399



ZPE11398



Length:	20.25"	514.4 mm
Width:	8.25"	203.2 mm
Jaw Opening:	13.5"	342.9 mm
Weight	1.7 lb	0.77 kg

Length:	28"	711.2 mm
Width:	11.5"	291.2 mm
Jaw Opening:	19.75"	501.7 mm
Weight	2.2 lb	1.0 kg

- The Slingco Pole Clamp is constructed of ultraviolet stabilized fiberglass-reinforced polymer.
- Slingco Pole Clamps are used to hold insulating blankets and other types of cover-ups in place while performing work.
- Slingco's Pole Clamps are meant to eliminate the use of tie wraps, bungee cords, tapes or any other items that can cause damage to insulated rubber products.
- With Slingco's unique tool handle lock system, the Pole Clamp can be set in an open position by engaging the handle lock. Once the product is in its intended location the lock can be released.

## **ATTENTION**

**READ** and **UNDERSTAND** all of the instructions and safety information in this manual before operating or servicing this tool.

Failure to read and understand these warnings and safe handling instructions could result in severe personal injury or death.

**KEEP THIS MANUAL WITH TOOL.**

## **WARNING**

Cancer and Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Slingco America, Inc.**  
130 Celtic Blvd, Tyrone,  
Georgia, 30290, USA  
TOLL FREE: 888 685 9478  
[sales@slingcoamerica.com](mailto:sales@slingcoamerica.com)

**888-685-9478**

**[slingco.com](http://slingco.com)**

**Slingco Limited**  
Gateway Business Park, New Hall Hey Road,  
Rawtenstall, BB4 6JG, England  
Tel: +44 [0]1706 855558  
[sales@slingco.com](mailto:sales@slingco.com)

**+44 [0]1706 855558**

**Slingco Australia Pty. Ltd.**  
L11, 1 York Street, Sydney,  
NSW 2000, Australia  
Tel: +61 3 8840 6556  
[sales@slingcoaustralia.com.au](mailto:sales@slingcoaustralia.com.au)

**+61 3 8840 6556**

Pole Clamp Operation and Safety Guide: MAN12010 – RevA Date July 2025

Slingco makes no warranty, express or implied, with respect to this product nor with respect to its specifications. In no event shall Slingco be liable for any direct, indirect, punitive, incidental, special consequential damages to property or life, whatsoever, arising out of or connected with the use or misuse of this product. This product is intended for use by qualified professionals having adequate knowledge of its proper use. July 2025 - v1.6